International Journal of Advances in Data and Information Systems
Vol. 7, No. 2, August 2026, pp. 786~800
ISSN: 2721-3056, DOI: 10.25008/ijadis.v7i2.1432

A Systematic Review of AI Personalization for Data Privacy and Recommendation Quality

Firman Fauzi[1*], Ade Permata Surya[1], Harefan Arief[1], Alifiah Ghaniyyu Widyaningrum[2]
[1]Faculty of Economic and Business, University of Mercubuana, Jakarta, Indonesia
[2]Faculty of Communication Sciences, University of Mercubuana, Jakarta, Indonesia

Article Info

Article history:
Received August 18, 2025
Revised June 23, 2026
Accepted July 03, 2026

Keywords:
Hybrid deep learning
Context-aware recommendation systems
Privacy techniques
Data sparsity
Cold-start
Personalization

ABSTRACT

Artificial Intelligence (AI)-based recommendation systems have become essential tools for delivering personalized services across digital platforms. However, persistent challenges related to data sparsity, cold-start conditions, dynamic user preferences, and data privacy continue to limit recommendation effectiveness. Existing studies have investigated these issues from different perspectives, yet the evidence remains fragmented across research streams focusing separately on recommendation accuracy, personalization, and privacy preservation. This study aims to provide a comprehensive synthesis of current developments in AI-based recommendation systems by examining the integration of hybrid deep learning approaches, context-aware recommendation mechanisms, and privacy-preserving techniques.

A Systematic Literature Review (SLR) was conducted following the PRISMA 2020 guidelines. An initial search of the Scopus database identified 176 records published between 2000 and 2025. After a multi-stage screening, eligibility assessment, and quality evaluation process, 68 studies were selected for detailed analysis. Descriptive, bibliometric, and thematic synthesis methods were employed to identify technological trends, implementation approaches, and emerging research directions.

The findings indicate that hybrid deep learning architectures improve recommendation performance under data sparsity and cold-start conditions, while context-aware approaches enhance personalization through dynamic adaptation to user behavior and contextual information. Privacy-preserving techniques, including differential privacy, cryptographic methods, and secure recommendation architectures, strengthen data protection without substantially reducing recommendation effectiveness. This review contributes an integrated analytical framework that links recommendation accuracy, personalization, and privacy preservation, providing guidance for the development of adaptive, trustworthy, and privacy-aware recommendation systems.

This is an open access article under the CC BY-SA license.

Corresponding Author:
Firman Fauzi,
Faculty of Economics and Business, Management Department,
Mercubuana University,
Jl. Meruya Selatan No. 1, Kembangan, West Jakarta, Jakarta
Email: firman.fauzi@mercubuana.ac.id
ORCID: 0000-0002-9489-8186

1. INTRODUCTION

AI-driven recommendation systems have become essential components across multiple sectors, including e-commerce, social media, education, healthcare, and other domains. These systems are designed to provide personalized and contextually relevant experiences by leveraging algorithms that analyze user preferences and deliver tailored content. Despite their substantial

potential, AI-based recommendation systems continue to face significant technical and ethical challenges. Cold-start remains one of the most persistent challenges in recommendation systems. Previous studies have addressed this issue through optimized collaborative filtering [1], clustering-based recommendation strategies [2], semantic mining approaches [3], hybrid recommendation algorithms [4], and AI-supported educational recommendation systems [5]. and data sparsity issues [6], [7], [8], [9], which arise when user interaction data is insufficient or when the system must accommodate new users or items. To address these challenges, deep learning-based approaches have demonstrated promising results in recommendation systems. Cheng et al. [7], applied deep learning to social network recommendation, while Ziegfeld et al. [10], and Zhang et al. [11], explored personalized recommendation through conversational and deep learning-based approaches. Related applications have also been reported in healthcare [12], cross-domain recommendation [13], and educational resource recommendation [14], however, they still encounter critical hurdles, particularly with respect to the accuracy and relevance of the recommendations generated. With ongoing advancements in big data processing and machine learning techniques, personalized recommendation systems are evolving to better handle limited datasets, and hybrid deep learning algorithms have emerged as effective solutions for improving recommendation performance under such constraints. Concurrently, context-based personalization has gained prominence, enabling systems to dynamically adjust recommendations in response to evolving user preferences in real-time [10], [11], [12], [13], [14]. Nonetheless, the challenge of maintaining user data privacy while preserving recommendation quality remains a significant concern.

This study seeks to address the knowledge gap regarding the application of diverse approaches in AI-based recommendation systems, particularly concerning data sparsity, cold-start, and user privacy. Recent research has extensively explored hybrid deep learning algorithms to enhance recommendation accuracy and relevance despite these challenges. Studies [7], [13], [15], [16], [17], have demonstrated that domain-specific information fusion can effectively alleviate data sparsity, which is a common limitation in collaborative filtering-based recommendation systems. Similarly, approaches that integrate collaborative filtering with content-based methods within hybrid frameworks [1], [4], [18], have proven effective in improving recommendation performance, particularly in overcoming cold-start challenges. Despite these advances, these methods continue to face limitations in scalability and adaptability to dynamically changing user preferences. Within this context, research [7], [19], [20], [21], [22], [23], underscores the importance of context-based personalization, which allows systems to tailor recommendations according to dynamically evolving factors, such as temporal context, location, and the user's current state.

Although previous studies have extensively investigated AI-based recommendation systems, the existing literature remains fragmented across several research streams. Several studies have focused on hybrid recommendation architectures. Feixiang [1], and Li et al. [4], integrated collaborative filtering with complementary recommendation techniques, while Meng [13], and Li [16], employed deep learning-based fusion models. Dias and Wives [17], as well as Afoudi et al. [18], further demonstrated the effectiveness of combining multiple information sources to improve recommendation performance.. In parallel, another body of literature examines privacy-preserving recommendation approaches have been investigated from multiple perspectives. Li and Wang [25], proposed a deep learning-based attack detection mechanism, Liang et al. [29], introduced a secure collaborative filtering framework, Asha and Rajkumar [35], developed a security-oriented recommendation model, and Kashani and Hamidzadeh [36], focused on privacy-preserving feature selection in collaborative filtering environments.

Existing review studies generally examine recommendation accuracy, personalization, and privacy protection as separate research domains. As a result, there is still a lack of comprehensive synthesis regarding how hybrid deep learning techniques, context-aware recommendation approaches, and privacy-preserving mechanisms can be integrated to simultaneously address technical challenges, such as data sparsity and cold-start, while preserving recommendation quality and user privacy. This fragmentation creates a knowledge gap in understanding the combined contribution of these approaches toward the development of adaptive, personalized, and secure

recommendation systems. To address this gap, the present study adopts an integrated review perspective that simultaneously examines hybrid deep learning architectures, context-aware personalization mechanisms, and privacy-preserving techniques. Rather than evaluating these approaches in isolation, this review investigates how each contributes to recommendation quality and how their combined implementation supports the development of adaptive, personalized, and privacy-aware recommendation systems.

While these approaches show considerable potential for enhancing recommendation relevance, they also pose significant challenges in terms of managing large, heterogeneous, and complex datasets, highlighting the need for continued innovation and optimization in AI-driven recommendation systems. A major challenge faced by AI-based recommendation systems is ensuring the security of user data. In this context, implementing privacy-preserving techniques within recommendation algorithms is essential for safeguarding user data while maintaining the quality of the recommendations provided. [10], [11], [12], [20], [24], demonstrate that in AI applications for personalized recommendation systems, despite the promising results of deep learning in improving data management, privacy remains a significant issue, particularly with concerns over potential algorithmic biases and the handling of sensitive user data. In contrast, [16], [25], [26], propose an AI-driven attack detection approach designed to identify anomalous user behavior that could undermine the integrity of the recommendation system. However, this method necessitates further optimization to be applied effectively on a larger scale. This study seeks to delve deeper into the integration of privacy techniques within AI-based recommendation algorithms, evaluating their impact on both data security and the overall quality of the recommendations generated.

Despite the growing body of research on AI-based recommendation systems, the current evidence remains dispersed across multiple technological streams, including hybrid deep learning models, context-aware recommendation approaches, and privacy-preserving mechanisms. Most studies evaluate these approaches independently and focus on specific performance objectives, such as recommendation accuracy, personalization, or data security. Consequently, the literature provides limited understanding of how these approaches collectively contribute to addressing the interconnected challenges of data sparsity, cold-start, dynamic user preferences, and privacy protection. Furthermore, the rapid emergence of advanced AI technologies, including deep learning architectures and Large Language Models (LLMs), has significantly expanded the methodological landscape of recommendation systems, making it increasingly difficult to obtain a comprehensive understanding of current developments solely through individual studies [27]. Therefore, a systematic literature review is required to synthesize existing evidence, identify dominant research trends, evaluate the effectiveness of different technological approaches, reveal unresolved challenges, and establish a consolidated knowledge base for the future development of adaptive, personalized, and privacy-aware recommendation systems.

The primary aim of this study is to conduct a Systematic Literature Review (SLR) is further strengthened by the absence of a comprehensive review that simultaneously examines recommendation accuracy, personalization, and privacy preservation within a unified analytical framework. Existing studies and review articles tend to emphasize only one dimension of recommendation systems, resulting in fragmented insights and limited guidance for researchers and practitioners seeking to balance technical performance with ethical and privacy considerations. As AI-driven recommendation systems become increasingly integrated into e-commerce, social media, healthcare, and educational platforms, a comprehensive synthesis is needed to clarify the relationships among these dimensions and to identify future research directions capable of supporting the development of trustworthy and sustainable recommendation systems.

Based on the identified literature gaps, three research questions were formulated to guide this review. The first question addresses the lack of a comprehensive understanding of existing technological approaches, the second examines how the three dominant research streams contribute to overcoming recommendation system challenges, and the third investigates the balance between privacy protection and recommendation effectiveness

Given the fragmented nature of existing studies and the lack of an integrated understanding of recommendation accuracy, personalization, and privacy preservation, this review is guided by the following research questions: What technological approaches have been developed to address recommendation accuracy, personalization, and privacy challenges in AI-based recommendation systems? How do hybrid deep learning models, context-aware recommendation approaches, and privacy-preserving techniques contribute individually and collectively to overcoming data sparsity, cold-start, dynamic user preference, and privacy-related challenges? How can privacy techniques be applied in AI-based recommendation algorithms to protect user data without compromising the quality of recommendations, and what impact do they have on the resulting recommendations? These research questions involve a comprehensive evaluation of the technical and ethical challenges faced by AI-based recommendation systems in their efforts to deliver more relevant, secure, and effective recommendations.

The primary contribution of this study is the development of a comprehensive synthesis that integrates these three critical dimensions within a single systematic review framework. This review provides a holistic understanding of how hybrid deep learning models improve recommendation accuracy, how context-aware mechanisms enhance personalization through dynamic adaptation to user preferences, and how privacy-preserving techniques safeguard sensitive user information without significantly reducing recommendation performance. Unlike previous studies that focus on individual aspects of recommendation systems, this review examines the interrelationship among accuracy, personalization, and privacy as complementary components of AI-based recommendation systems.

The novelty of this study lies in its integrated analytical perspective that simultaneously evaluates hybrid deep learning, context-aware personalization, and privacy-preserving techniques across multiple application domains, including e-commerce, social media, education, healthcare, and digital platforms. Furthermore, this review identifies emerging research trends, implementation challenges, and future research opportunities associated with balancing recommendation quality and privacy protection in contemporary AI-based recommendation systems. Consequently, this study extends the existing body of knowledge by providing a unified conceptual understanding of the technological, methodological, and ethical dimensions of AI-driven recommendation systems.

2. RESEARCH METHOD

This study employed a Systematic Literature Review (SLR) approach to comprehensively evaluate and synthesize previous studies concerning the application of Artificial Intelligence (AI) in recommendation systems. The review specifically focused on three key research domains that have gained increasing attention in recent years, namely hybrid deep learning techniques, context-aware recommendation systems, and privacy-preserving mechanisms. SLR was selected because it provides a structured and replicable approach for synthesizing evidence from existing studies. Furthermore, SLR enables researchers to identify research gaps, emerging trends, methodological developments, and future research opportunities within a particular scientific field.

Methodological rigor, transparency and consistency throughout the review process, this study adopted the Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA 2020) guidelines with using Watase Uake Tool. The PRISMA framework provides a systematic procedure for literature identification, screening, eligibility assessment, and final inclusion of studies. By implementing PRISMA, the review process becomes more transparent, minimizes selection bias, and facilitates the reproducibility of the study by future researchers.

The study utilized the Scopus database as the primary source of literature due to its wide coverage of peer-reviewed academic publications and conference proceedings in the fields of computer science, artificial intelligence, information systems, and digital technologies. A descriptive bibliometric analysis was subsequently conducted to examine publication patterns and the temporal progression of research related to AI-based recommendation systems. The search process covered publications published between 2000 and 2025 to capture the evolution of recommendation system technologies from traditional machine learning approaches to contemporary deep learning and large language model-based systems. Several keyword combinations were employed during the search process, including “recommendation algorithms,”

"hybrid recommendation systems," "user modeling in recommendation systems," "context-aware recommendation systems," "personalized recommendation," "AI-based recommendation," "deep learning recommendation," and "privacy-preserving recommendation systems." These keywords were developed based on the study objectives and refined through preliminary searches to maximize the retrieval of relevant literature.




Figure 1. Result from Keyword Search

Based on the publication graph presented, a significant increase in the number of publications can be observed from 2000 to 2025, with a notable spike between 2020 and 2023. The graph reveals a consistent and stable trend in the earlier years, but a sharp rise in 2021 with 25 articles published, continuing to increase to 34 articles in 2023. This surge indicates growing interest in AI-based recommendation algorithms, especially in areas such as context-based personalization and data privacy. This rise also reflects significant advancements in underlying recommendation algorithm technologies, such as deep learning and other AI techniques. The sharp increase indicates a shift toward AI-based solutions, becoming more relevant to current technological needs.

The initial search identified 176 records on August 02, 2025 from the Scopus database. Subsequently, a multi-stage screening process was conducted in accordance with the PRISMA protocol. During the identification stage, duplicate records were removed to eliminate redundancy. A total of three duplicate articles were identified and excluded. Subsequently, nineteen studies were excluded because they did not satisfy the predefined source quality requirements or were not directly relevant to the scope of AI-based recommendation systems. Furthermore, one article was excluded because it did not provide an abstract, making it impossible to evaluate its relevance during the preliminary screening stage. Consequently, 152 studies remained for further assessment.

Prior to the screening stage, a set of inclusion and exclusion criteria was developed to provide a structured framework for article selection. The criteria enabled the identification of studies that closely addressed the research objectives while maintaining an appropriate level of scientific rigor and methodological quality for inclusion in the final review.

Table 2. Inclusion and Exclusion Criteria

Category	Criteria
Inclusion Criteria	Peer-reviewed journal articles
Inclusion Criteria	Published between 2000 and 2025
Inclusion Criteria	Written in English
Inclusion Criteria	Focus on AI-based recommendation systems
Inclusion Criteria	Discuss hybrid deep learning, context-aware recommendation, or privacy-preserving techniques
Inclusion Criteria	Full-text article available
Inclusion Criteria	Provide empirical, experimental, or conceptual contributions relevant to recommendation systems
Exclusion Criteria	Duplicate publications
Exclusion Criteria	Editorials, book chapters, notes, short communications, and non-peer-reviewed documents
Exclusion Criteria	Articles without abstracts
Exclusion Criteria	Studies unrelated to recommendation systems
Exclusion Criteria	Studies lacking sufficient methodological information
Exclusion Criteria	Studies with inaccessible or incomplete full-text content

After the title and abstract screening phase, the remaining articles proceeded to full-text eligibility evaluation. At this stage, each study was assessed according to its methodological quality, alignment with the research questions, completeness of findings, and overall contribution to the advancement of recommendation system research. A total of 84 articles were excluded because they exhibited limited relevance to the research objectives, insufficient methodological rigor, inadequate empirical support, or only a marginal connection to AI-based recommendation systems. Consequently, 68 studies fulfilled all eligibility criteria and were retained for detailed examination and thematic synthesis. The overall study selection procedure is presented in the PRISMA flow diagram shown in Figure 2.




Figure 2. PRISMA Procedure

The methodological quality of all eligible studies was systematically assessed to support the reliability and validity of the review results. The assessment aimed to determine the scientific merit, methodological rigor, and overall contribution of each article based on criteria commonly adopted in systematic literature review studies.

Table 3. Quality Assessment Checklist

Code	Quality Assessment Criterion
QA1	The study clearly states its research objectives
QA2	The research methodology is clearly described and appropriate
QA3	Data collection and analysis procedures are adequately explained
QA4	Findings and results are clearly presented and supported by evidence
QA5	The study provides a meaningful contribution to AI-based recommendation systems
QA6	Limitations and future research directions are discussed

Each criterion was evaluated using a binary scoring system, where a score of "1" indicated that the criterion was fulfilled and a score of "0" indicated that it was not fulfilled. Articles achieving higher scores were considered to possess stronger methodological quality and were given greater analytical consideration during the synthesis process. The implementation of quality assessment ensured that the conclusions of this review were derived from reliable, transparent, and scientifically robust studies.

After the quality assessment stage, data extraction was conducted for all selected articles. Information extracted from each study included publication year, research objectives, AI techniques employed, recommendation approaches, privacy-preserving mechanisms, evaluation metrics, key findings, and reported limitations. The extracted data were subsequently analyzed using three complementary approaches. First, descriptive analysis was employed to identify

publication trends and the temporal development of research within the field. Second, bibliometric analysis was conducted to examine publication patterns and thematic concentrations. Third, thematic synthesis was performed to categorize and interpret findings according to the three primary research themes, namely hybrid deep learning approaches, context-aware recommendation systems, and privacy-preserving techniques.

The integration of PRISMA based screening procedures, quality appraisal mechanisms, and thematic analysis provides a rigorous framework for evaluating contemporary developments in AI-driven recommendation systems. This methodological framework contributes to a deeper understanding of how emerging AI techniques improve recommendation performance, personalization, and privacy preservation, while simultaneously revealing research gaps and opportunities for further investigation.

Table 4. The PRISMA Selection Process

Stage	Number of Articles
Records identified through Scopus	176
Duplicate records removed	3
Excluded due to source quality/relevance	19
Excluded due to missing abstract	1
Records screened	152
Full-text articles assessed	152
Full-text articles excluded	84
Final studies included in synthesis	68

3. COMPREHENSIVE RESEARCH SYNTHESIS

This section presents the findings obtained from the synthesis of the 68 selected studies. The focus of this section is to summarize the technological approaches, application domains, and empirical results reported in the reviewed literature. Interpretations of the findings, theoretical implications, practical significance, and future research directions are discussed separately in the Discussion section.

Several studies reported the use of hybrid deep learning approaches to address data sparsity and cold-start challenges in recommendation systems. Domain information fusion techniques were found to improve recommendation performance by reducing prediction errors and enhancing recommendation relevance in learning and cross-domain environments [13], [17]. Similarly, studies integrating collaborative filtering and content-based methods reported improvements in recommendation accuracy and recommendation quality, particularly in educational and personalized recommendation contexts [1], [4], [18]. Additional studies employed deep learning fusion models and cross-domain recommendation architectures to enhance predictive performance under limited user interaction data [13], [16].

The reviewed studies indicate increasing adoption of context-aware recommendation approaches to improve personalization, for instance, model utilized user interactions, social relationships, and temporal behavioral information to generate personalized recommendations [11]. Conversational recommender systems employed preference elicitation techniques and dialogue interactions to infer user preferences more effectively [10]. Several studies also incorporated deep learning methods to dynamically adapt recommendations according to contextual information and changing user behavior patterns [21], [22], [23]. Furthermore, Large Language Models (LLMs), including GPT-based architectures, have increasingly been incorporated into conversational recommendation systems to improve the extraction of implicit user preferences and enhance recommendation effectiveness [27].

Privacy-preserving mechanisms were widely reported in the reviewed studies as an important component of AI-based recommendation systems. Deep learning-based attack detection approaches were employed to identify anomalous user behaviors and potential recommendation manipulation attempts [25]. Other studies integrated collaborative filtering with deep neural network security frameworks to improve data protection while maintaining recommendation performance [29]. Differential privacy, cryptographic methods, and secure recommendation

architectures were also applied to protect sensitive user information and strengthen trust in recommendation environments [25], [29], [35], [36].

Overall, the analysis of studies indicates that the application of AI-based recommendation algorithms, particularly those combining deep learning, context-based personalization, and data privacy considerations, offers effective solutions to classical challenges in recommendation system development. Although issues related to cold-start, data sparsity, and user data security remain critical concerns, hybrid approaches and emerging technologies that are both more relevant and secure. These studies also open avenues for further research in integrating diverse techniques to develop recommendation systems that are increasingly adaptive, accurate, and safe across both commercial and critical domains.

4. COMPREHENSIVE DISCUSSION

The findings of this review provide important insights into the evolving landscape of AI-based recommendation systems and directly address the research gap identified in the introduction. Existing studies have traditionally examined recommendation accuracy, personalization, and privacy preservation as separate research streams. However, the synthesis of 68 selected studies demonstrates that these dimensions are increasingly interconnected and should be considered collectively when designing next-generation recommendation systems. The discussion therefore focuses on how hybrid deep learning approaches, context-aware personalization mechanisms, and privacy-preserving techniques contribute individually and jointly to the development of adaptive, personalized, and secure recommendation environments.

The findings indicate that hybrid deep learning architectures represent one of the most effective approaches for overcoming persistent recommendation challenges, particularly data sparsity and cold-start conditions. Studies reviewed in this research consistently demonstrate that integrating multiple recommendation techniques, including collaborative filtering, content-based filtering, and deep learning models, enhances predictive performance and recommendation accuracy under conditions of limited user interaction data [1], [4], [13], [16], [17], [18].

The significance of these findings extends beyond technical performance improvements. Data sparsity and cold-start remain major barriers for newly deployed recommendation platforms, especially in e-commerce, online learning, and digital content environments. The reviewed evidence suggests that hybrid architectures can compensate for limited historical interaction data by exploiting multiple information sources simultaneously. Consequently, recommendation systems become capable of generating relevant suggestions during the early stages of user engagement, thereby improving user experience and platform adoption.

Nevertheless, the widespread implementation of hybrid architectures remains constrained by computational complexity and infrastructure requirements. The integration of multiple models often increases training time, processing demands, and deployment costs. Future research should therefore focus on developing computationally efficient architectures capable of maintaining recommendation quality while reducing resource consumption.

Another important finding concerns the growing role of context-aware recommendation approaches in improving personalization. The reviewed studies demonstrate that recommendation effectiveness can be substantially enhanced when systems incorporate contextual information such as temporal factors, location, social relationships, behavioral patterns, and real-time user interactions [10], [11], [21], [22], [23].

The increasing adoption of context-aware approaches reflects a broader shift from static recommendation models toward adaptive recommendation environments. Traditional recommendation systems typically rely on historical interaction records, whereas context-aware systems continuously update user representations in response to changing behaviors and preferences. This capability is particularly valuable in rapidly evolving digital environments, such as social media platforms, online marketplaces, and personalized learning systems, where user interests frequently change over time.

The emergence of Large Language Models (LLMs) within conversational recommendation systems further strengthens this trend. The reviewed evidence suggests that conversational interactions can provide richer representations of implicit user preferences than traditional

interaction-based approaches alone [27]. This development highlights the growing importance of human-centered AI technologies that support more responsive and personalized recommendation experiences.

Despite these advantages, several challenges remain. Real-time contextual adaptation requires continuous data collection and processing, increasing both computational demands and system complexity. Additionally, the use of extensive contextual information may create new privacy concerns that require careful governance and protection mechanisms.

The third major finding concerns the increasing importance of privacy-preserving techniques within recommendation systems. The reviewed studies indicate that privacy protection is no longer an optional enhancement but has become a fundamental requirement for recommendation systems operating in data-intensive environments [25], [29], [35], [36].

The widespread use of personal data for recommendation generation creates substantial risks related to unauthorized access, profiling, data leakage, and algorithmic manipulation. In response to these concerns, various studies have introduced privacy-preserving mechanisms, including attack detection systems, differential privacy techniques, cryptographic approaches, and secure recommendation architectures [25], [29], [35], [36]. The evidence suggests that these techniques can enhance data security while maintaining acceptable levels of recommendation performance.

The significance of this finding is particularly relevant within increasingly regulated digital environments. As privacy regulations continue to evolve globally, recommendation systems must simultaneously satisfy technical performance requirements and ethical obligations regarding user data protection. Consequently, future recommendation architectures should incorporate privacy considerations during system design rather than treating privacy as an additional feature introduced after deployment.

However, privacy-preserving techniques frequently introduce computational overhead and may affect processing efficiency. Future research should therefore explore optimization strategies that balance recommendation quality, computational efficiency, and privacy protection simultaneously.

One of the most important contributions emerging from this review is the identification of a strong interrelationship among recommendation accuracy, personalization, and privacy preservation. Existing studies often investigate these dimensions independently; however, the findings of this review suggest that effective recommendation systems require a balanced integration of all three components.

Hybrid architectures contribute to recommendation accuracy and robustness, context-aware mechanisms improve personalization and adaptability, while privacy-preserving techniques ensure trust and regulatory compliance. The absence of any one of these dimensions may limit the effectiveness of the recommendation process. For example, highly accurate recommendations may lose user acceptance if privacy concerns are not addressed, whereas strong privacy protection may reduce system usefulness if recommendation quality deteriorates significantly.

Therefore, future recommendation systems should be developed using integrated frameworks capable of balancing technical performance, user experience, and ethical considerations simultaneously. Such integration represents a promising direction for the development of trustworthy AI-driven recommendation environments.

From a theoretical perspective, this review contributes to the literature by consolidating fragmented research streams into a unified analytical framework encompassing recommendation accuracy, personalization, and privacy preservation. The findings provide a more holistic understanding of how these dimensions interact and collectively influence recommendation system effectiveness.

From a practical perspective, the findings offer guidance for platform developers, practitioners, and decision-makers seeking to implement AI-based recommendation systems. Organizations can leverage hybrid architectures to address cold-start and data sparsity challenges, utilize context-aware mechanisms to improve personalization, and integrate privacy-preserving techniques to ensure regulatory compliance and user trust.

Although this review provides a comprehensive synthesis of current developments, several limitations should be acknowledged. First, the review was limited to studies indexed in the Scopus database. Second, the rapid evolution of AI technologies may introduce new approaches that were not captured during the review period. Third, the reviewed studies employed heterogeneous datasets, evaluation metrics, and experimental settings, which may limit direct comparison across studies.

Future research should investigate more computationally efficient hybrid architectures, explore advanced contextual modeling using emerging LLM technologies, and develop privacy-preserving mechanisms capable of maintaining recommendation quality under increasingly stringent regulatory environments. Further empirical validation across diverse application domains is also necessary to support the development of scalable, adaptive, and trustworthy recommendation systems.




Figure 3. Integrated Framework Linking Recommendation Accuracy, Personalization, and Privacy Preservation in AI-Based Recommendation Systems

Figure 3 illustrates the integrated analytical framework derived from the synthesis of the 68 reviewed studies. The framework highlights the interrelationship among three major technological dimensions identified in the literature, namely hybrid deep learning architectures, context-aware recommendation mechanisms, and privacy-preserving techniques. Rather than functioning as independent research streams, these dimensions collectively contribute to improving recommendation effectiveness by addressing core challenges such as data sparsity, cold-start conditions, dynamic user preferences, and data privacy concerns. The figure demonstrates how each technological component supports different aspects of recommendation system performance while contributing to the overall objective of delivering accurate, adaptive, and trustworthy recommendations.

The framework further emphasizes that recommendation quality is influenced by the balanced integration of technical performance, personalization capability, and privacy protection. Hybrid learning models primarily enhance predictive accuracy, context-aware approaches strengthen personalization through dynamic adaptation, and privacy-preserving mechanisms ensure secure data utilization and regulatory compliance. The interaction among these components suggests that future AI-based recommendation systems should be developed using a holistic design perspective that simultaneously considers recommendation effectiveness, user experience, and ethical requirements.

5. CONCLUSION

This study conducted a Systematic Literature Review (SLR) of 68 selected studies to examine how artificial intelligence enhances recommendation systems through the integration of hybrid deep learning models, context-aware recommendation approaches, and privacy-preserving mechanisms. The review was motivated by the fragmented nature of existing research, where recommendation accuracy, personalization, and privacy protection have largely been investigated as separate research domains. By synthesizing evidence from the selected studies, this review provides a consolidated understanding of how these technological approaches collectively address major recommendation system challenges, including data sparsity, cold-start conditions, dynamic user preferences, and user privacy concerns.

The findings demonstrate that hybrid deep learning approaches significantly improve recommendation accuracy by combining multiple recommendation techniques and information sources, making them particularly effective in mitigating data sparsity and cold-start problems. In parallel, context-aware recommendation approaches enhance personalization by incorporating contextual information, behavioral patterns, and real-time user interactions, enabling recommendation systems to adapt continuously to evolving user preferences. Furthermore, privacy-preserving techniques, including differential privacy, cryptographic mechanisms, attack detection methods, and secure recommendation architectures, contribute to protecting sensitive user information while maintaining acceptable recommendation performance. Collectively, these findings indicate that recommendation quality, personalization, and privacy protection should not be viewed as independent objectives but as complementary components of effective AI-based recommendation systems.

The primary contribution of this review lies in its integrated analytical perspective, which consolidates three previously fragmented research streams into a unified framework. Unlike prior studies that emphasize individual dimensions of recommendation systems, this review demonstrates how hybrid learning architectures, context-aware personalization mechanisms, and privacy-preserving approaches interact to support the development of adaptive, personalized, and trustworthy recommendation environments. This integrated perspective contributes to the theoretical understanding of AI-based recommendation systems and provides a more comprehensive foundation for future research and system design.

From a practical perspective, the findings suggest that organizations seeking to implement AI-driven recommendation systems should adopt balanced strategies that simultaneously optimize recommendation performance, user personalization, and privacy protection. Such integration is increasingly important in application domains including e-commerce, social media, education, healthcare, and other digital ecosystems, where user trust and regulatory compliance have become critical success factors.

Despite its contributions, this review has several limitations. The analysis was restricted to studies indexed in the Scopus database and included publications that satisfied the predefined inclusion criteria. In addition, variations in datasets, evaluation metrics, and experimental settings across the reviewed studies may limit direct comparison among findings. Future research should therefore focus on developing computationally efficient hybrid architectures, advancing contextual modeling through emerging technologies such as Large Language Models (LLMs), and designing privacy-preserving mechanisms capable of maintaining recommendation quality under increasingly stringent data governance requirements. Further empirical validation across diverse application domains is also necessary to support the development of scalable, adaptive, human-centered, and privacy-aware recommendation systems.

Figure 4 summarizes the principal conclusions of this systematic literature review by illustrating the relationships among the three dominant technological approaches identified across the reviewed studies. The figure highlights how hybrid deep learning approaches improve recommendation accuracy under data sparsity and cold-start conditions, how context-aware mechanisms enable dynamic personalization through contextual adaptation, and how privacy-preserving techniques protect sensitive user information while maintaining recommendation

performance. Together, these approaches form the foundation of contemporary AI-driven recommendation systems.




Figure 4. Summary of the Relationships among Hybrid Deep Learning, Context-Aware Recommendation, and Privacy-Preserving Mechanisms

The conceptual summary also reflects the central contribution of this review, namely the integration of recommendation accuracy, personalization, and privacy preservation within a unified analytical perspective. The findings suggest that future recommendation systems should move beyond isolated optimization objectives and adopt integrated strategies capable of balancing predictive performance, adaptive personalization, and user trust. Such an approach is increasingly important across application domains including e-commerce, healthcare, education, social media, and other digital ecosystems where both user satisfaction and data protection are critical success factors.

ACKNOWLEDGEMENTS

The authors would like to thank the Faculty of Economics and Business, University of Mercu Buana, Indonesia, for providing academic support and research facilities throughout this study. No external funding was received for this research.

CONFLICT OF INTEREST

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

DATA AVAILABILITY

No primary dataset was generated during this study. All data analyzed are derived from publicly available publications indexed in the Scopus database and are fully cited in the reference list. Additional information supporting the findings of this review is available from the corresponding author upon reasonable request.

AUTHOR CONTRIBUTIONS

Firman Fauzi: Conceptualization; Methodology; Formal Analysis; Investigation; Data Curation; Visualization; Writing – Original Draft; Project Administration; Corresponding Author. **Ade Permata Surya** : Methodology; Validation; Investigation; Writing – Review & Editing. **Harefan Arief :** Supervision; Methodology; Validation; Writing – Review & Editing. **Alifiah Ghaniyyu Widyaningrum :**Visualization; Validation; Writing – Review & Editing.

REFERENCES

[1] X. Feixiang, “Intelligent Personalized Recommendation Method Based on Optimized Collaborative Filtering Algorithm in Primary and Secondary Education Resource System,” *IEEE Access*, vol. 12, no. February, pp. 28860–28872, 2024, doi: 10.1109/ACCESS.2024.3365549.

[2] E. Kannout, M. Grodzki, and M. Grzegorowski, "Towards Addressing Item Cold-Start Problem in Collaborative Filtering by Embedding Agglomerative Clustering and FP-Growth into the Recommendation System," *Computer Science and Information Systems*, vol. 20, no. 4, pp. 1343–1366, 2023, doi: 10.2298/CSIS221116052K.

[3] Y. Huang, H. Wang, and R. Wang, "Deep learning recommendation algorithm based on semantic mining," *PLoS One*, vol. 17, no. 9 September, pp. 1–14, 2022, doi: 10.1371/journal.pone.0274940.

[4] L. Li, Z. Zhang, and S. Zhang, "Hybrid Algorithm Based on Content and Collaborative Filtering in Recommendation System Optimization and Simulation," *Sci Program*, vol. 2021, 2021, doi: 10.1155/2021/7427409.

[5] X. Wei, S. Sun, D. Wu, and L. Zhou, "Personalized Online Learning Resource Recommendation Based on Artificial Intelligence and Educational Psychology," *Front Psychol*, vol. 12, no. December, pp. 1–15, 2021, doi: 10.3389/fpsyg.2021.767837.

[6] L. Wu, "Collaborative Filtering Recommendation Algorithm for MOOC Resources Based on Deep Learning," *Complexity*, vol. 2021, 2021, doi: 10.1155/2021/5555226.

[7] K. Cheng, X. Guo, X. Cui, and F. Shan, "Dynamical Modeling, Analysis, and Control of Information Diffusion over Social Networks: A Deep Learning-Based Recommendation Algorithm in Social Network," *Discrete Dyn Nat Soc*, vol. 2020, 2020, doi: 10.1155/2020/3273451.

[8] T. Xiao and H. Shen, "Neural variational matrix factorization for collaborative filtering in recommendation systems," *Applied Intelligence*, vol. 49, no. 10, pp. 3558–3569, 2019, doi: 10.1007/s10489-019-01469-6.

[9] L. Xu, C. Jiang, Y. Chen, Y. Ren, and K. J. Ray Liu, "User participation in collaborative filtering-based recommendation systems: A game theoretic approach," *IEEE Trans Cybern*, vol. 49, no. 4, pp. 1339–1352, 2019, doi: 10.1109/TCYB.2018.2800731.

[10] L. Ziegfeld, D. Di Scala, and A. H. M. Cremers, "The effect of preference elicitation methods on the user experience in conversational recommender systems," *Comput Speech Lang*, vol. 89, no. April 2024, p. 101696, 2025, doi: 10.1016/j.csl.2024.101696.

[11] Y. Zhang, X. Lu, Y. Zhao, and Z. Yang, "PerNN: A Deep Learning-Based Recommendation Algorithm for Personalized Customization," *Electronics (Switzerland)*, vol. 14, no. 12, pp. 1–17, 2025, doi: 10.3390/electronics14122451.

[12] X. Wang, Z. Sun, H. Xue, and R. An, "Artificial Intelligence Applications to Personalized Dietary Recommendations: A Systematic Review," *Healthcare (Switzerland)*, vol. 13, no. 12, pp. 1–25, 2025, doi: 10.3390/healthcare13121417.

[13] X. Meng, "Cross-domain information fusion and personalized recommendation in artificial intelligence recommendation system based on mathematical matrix decomposition," *Sci Rep*, vol. 14, no. 1, pp. 1–13, 2024, doi: 10.1038/s41598-024-57240-6.

[14] D. Hou, "Personalized Book Recommendation Algorithm for University Library Based on Deep Learning Models," *J Sens*, vol. 2022, 2022, doi: 10.1155/2022/3087623.

[15] W. Li, "Intelligent Recommendation System Based on the Infusion Algorithms with Deep Learning, Attention Network and Clustering," *International Journal of Computational Intelligence Systems*, vol. 16, no. 1, pp. 1–11, 2023, doi: 10.1007/s44196-023-00264-z.

[16] C. Li, "An Advertising Recommendation Algorithm Based on Deep Learning Fusion Model," *J Sens*, vol. 2022, 2022, doi: 10.1155/2022/1632735.

[17] A. da S. Dias and L. K. Wives, "Recommender system for learning objects based in the fusion of social signals, interests, and preferences of learner users in ubiquitous e-learning systems," *Pers Ubiquitous Comput*, vol. 23, no. 2, pp. 249–268, 2019, doi: 10.1007/s00779-018-01197-7.

[18] Y. Afoudi, M. Lazaar, and M. Al Achhab, "Hybrid recommendation system combined content-based filtering and collaborative prediction using artificial neural network," *Simul Model Pract Theory*, vol. 113, no. April, p. 102375, 2021, doi: 10.1016/j.simpat.2021.102375.

[19] M. Wasid, R. Ali, and S. Shahab, "Adaptive genetic algorithm for user preference discovery in multi-criteria recommender systems," *Heliyon*, vol. 9, no. 7, p. e18183, 2023, doi: 10.1016/j.heliyon.2023.e18183.
[20] W. Yang, "Personalized Intelligent Recommendation Algorithm Design for Book Services Based on Deep Learning," *Wirel Commun Mob Comput*, vol. 2022, 2022, doi: 10.1155/2022/9203665.
[21] P. Sun, "Personalized Course Resource Recommendation Algorithm Based on Deep Learning in the Intelligent Question Answering Robot Environment," *International Journal of Information Technologies and Systems Approach*, vol. 16, no. 3, pp. 1–13, 2023, doi: 10.4018/IJITSA.320188.
[22] Z. Xu, H. Lin, and M. Wu, "A Course Recommendation Algorithm for a Personalized Online Learning Platform for Students From the Perspective of Deep Learning," *International Journal of Information Technology and Web Engineering*, vol. 18, no. 1, pp. 1–17, 2023, doi: 10.4018/IJITWE.333603.
[23] D. Rafailidis and A. Nanopoulos, "Modeling Users Preference Dynamics and Side Information in Recommender Systems," *IEEE Trans Syst Man Cybern Syst*, vol. 46, no. 6, pp. 782–792, 2016, doi: 10.1109/TSMC.2015.2460691.
[24] C. Li and X. Zuo, "Classical music recommendation algorithm on art market audience expansion under deep learning," *Journal of Intelligent Systems*, vol. 33, no. 1, 2024, doi: 10.1515/jisys-2023-0351.
[25] X. Li and Z. Wang, "Support attack detection algorithm for recommendation system based on deep learning," *EURASIP J Wirel Commun Netw*, vol. 2023, no. 1, 2023, doi: 10.1186/s13638-023-02269-w.
[26] M. E. Foster and J. Oberlander, "User preferences can drive facial expressions: Evaluating an embodied conversational agent in a recommender dialogue system," *User Model User-adapt Interact*, vol. 20, no. 4, pp. 341–381, 2010, doi: 10.1007/s11257-010-9080-6.
[27] W. S. Kim, S. Lim, G. W. Kim, and S. M. Choi, "Extracting Implicit User Preferences in Conversational Recommender Systems Using Large Language Models," *Mathematics*, vol. 13, no. 2, 2025, doi: 10.3390/math13020221.
[28] A. Gambella *et al.*, "Improved assessment of donor liver steatosis using Banff consensus recommendations and deep learning algorithms," *J Hepatol*, vol. 80, no. 3, pp. 495–504, 2024, doi: 10.1016/j.jhep.2023.11.013.
[29] W. Liang *et al.*, "Deep Neural Network Security Collaborative Filtering Scheme for Service Recommendation in Intelligent Cyber-Physical Systems," *IEEE Internet Things J*, vol. 9, no. 22, pp. 22123–22132, 2022, doi: 10.1109/JIOT.2021.3086845.
[30] S. Yang, M. Korayem, K. AlJadda, T. Grainger, and S. Natarajan, "Combining content-based and collaborative filtering for job recommendation system: A cost-sensitive Statistical Relational Learning approach," *Knowl Based Syst*, vol. 136, pp. 37–45, 2017, doi: 10.1016/j.knosys.2017.08.017.
[31] C. Troussas, A. Krouska, A. Koliarakis, and C. Sgouropoulou, "Harnessing the Power of User-Centric Artificial Intelligence: Customized Recommendations and Personalization in Hybrid Recommender Systems," *Computers*, vol. 12, no. 5, 2023, doi: 10.3390/computers12050109.
[32] F. Liu and W. Guo, "Personalized Recommendation Algorithm for Interactive Medical Image Using Deep Learning," *Math Probl Eng*, vol. 2022, 2022, doi: 10.1155/2022/2876481.
[33] Y. Zhou and L. Li, "Research on Recommendation of College Mental Health Teaching Materials Based on Improved Deep Learning Algorithm," *Wirel Commun Mob Comput*, vol. 2022, 2022, doi: 10.1155/2022/5184221.
[34] F. Zhou, "Research on Teaching Resource Recommendation Algorithm," *J Healthc Eng*, vol. 2022, 2022.
[35] K. N. Asha and R. Rajkumar, "DCF-MLSTM: a deep security content-based filtering scheme using multiplicative BiLSTM for movie recommendation system," *International*

Journal of System of Systems Engineering, vol. 13, no. 1, pp. 66–82, 2023, doi: 10.1504/IJSSE.2023.10053520.

[36] S. M. Z. Kashani and J. Hamidzadeh, "Feature selection by using privacy-preserving of recommendation systems based on collaborative filtering and mutual trust in social networks," *Soft comput*, vol. 24, no. 15, pp. 11425–11440, 2020, doi: 10.1007/s00500-019-04605-z.